




भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY



सं० 33] नई दिल्ली, शनिवार, अगस्त 15, 1998 (श्रावण 24, 1998)
No. 33] NEW DELHI, SATURDAY, AUGUST 15, 1998 (SRAVANA 24, 1920)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएँ और नोटिस
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE PATENTS AND DESIGNS

Calcutta, the 15th August 1998

ADDRESS AND JURISDICTION OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Mumbai, Delhi and Chennai having territorial jurisdiction on a Zonal basis as shown below :—

Patent Office Branch,
Todi Bastes, IIIrd Floor,
Lower Parel (West), Mumbai-400 013.

The States of Gujarat,
Maharashtra, Madhya Pradesh and
Goa and the Union
Territories of Daman and
Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE"

Ph. No. 492 5092 Fax No. 0224950622

Patent Office Branch,
Unit No. 401 to 405, IIIrd Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110 005.

The States of Haryana,
Himachal Pradesh, Jammu and
Kashmir, Punjab, Rajasthan,
Uttar Pradesh and Delhi and
the Union Territory of
Chandigarh

Telegraphic address "PATENTOFIC"

Ph. No. 578 2532 Fax No. 011-5766204

Patent Office Branch,
Wing 'C'-(C-4, A),
IIIrd Floor, Rajaji Bhavan, Besant Nagar,
Chennai-600 090.

The States of Andhra Pradesh,
Karnataka, Kerala, Tamilnadu and
Pondicherry and the Union
Territories of Laccadive, Minicoy
and Aminidivi Islands.

Telegraphic address "PATENTOFIC"

Ph. No. 490 1495 Fax No. 044-4901492

Patent Office (Head Office),
"NIZAM PALACE", 2nd M.S.O.
Building, 5th, 6th and 7th,
Floor, 234/4, Acharya Jagadish
Rose Road, Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS"

Ph. No. 247 4401 Fax 033-2473851

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate offices of the Patent Office.

Fees.—The fees may either be paid in cash or may be sent by bank draft or cheque payable to the Controller of Patents drawn on a scheduled bank at the place where the appropriate office is situated.

पेटेंट कार्यालय

एकत्र तथा अभिकल्प

कलकत्ता, दिनांक 15 अगस्त 1998

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ते में अवस्थित है तथा मुम्बई, दिल्ली एवं चेन्नई में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार ज्ञान के आधार पर निम्न रूप में प्रदर्शित हैं :—

पेटेंट कार्यालय शाखा, बोडी हस्टेट,
तीसरा तल, लॉवर पररेल (प.),
मुम्बई-400013 ।

गुजरात, महाराष्ट्र, मध्य प्रदेश
तथा गोवा राज्य क्षेत्र एवं संघ
शासित क्षेत्र, दमन तथा दीव एवं
बादर और नगर हवेली ।

तार पता - "पेटेंटोफिस"
फोन 4925092 फैक्स : 0224950622

पेटेंट कार्यालय शाखा,
एकक सं. 401 से 405, तीसरा तल,
नगरपालिका बाजार भवन,
सरस्वती मार्ग, करील बाग,
नई दिल्ली-110 005 ।

हरियाणा, हिमाचल प्रदेश, जम्मू
तथा कश्मीर, पंजाब, राजस्थान,
उत्तर प्रदेश तथा दिल्ली राज्य
क्षेत्रों एवं संघ शासित क्षेत्र चंडीगढ़ ।

तार पता - "पेटेंटोफिस"
फोन : 578 2532 फैक्स : 011-5766204

पेटेंट कार्यालय शाखा,
विंग "सी" (सी-4, ए),
तीसरा तल, राजाजी भवन,
बसन्त नगर, चेन्नई-600090 ।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु
तथा पाण्डिचेरी राज्य क्षेत्र एवं
संघ शासित क्षेत्र, लक्षद्वीप, मिनिक्काय
तथा एमिनिदिवि द्वीप ।

तार पता - "पेटेंटोफिस"
फोन : 490 1495 फैक्स : 044-4901492

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, द्वितीय बहुस्तरीय कार्यालय
भवन, 5, 6 तथा 7वां तल,
234/4, आचार्य जगदीश बोस मार्ग,
कलकत्ता-700 020 ।

भारत का अवशेष क्षेत्र ।

तार पता - "पेटेंटोफिस"
फोन : 247 4401 फैक्स : 033-2473851

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में
अपीक्षित सभी आदेश-पत्र, सूचनाएं विवरण या अन्य प्रलेख पेटेंट
कार्यालय के केवल उपयुक्त कार्यालय में ही प्राप्त किए जाएंगे।

शुल्क : शुल्कों की अवधि या तो गकद की जाएगी अथवा
जहां उपयुक्त कार्यालय अवस्थित है, उस स्थान
के अनुसूचित बँक से नियंत्रक को भुगतान करने बँक ड्राफ्ट अथवा
चेक द्वारा की जा सकती है ।

APPLICATION FOR THE PATENT FILED AT THE
HEAD OFFICE 234/4, ACHARYA JAGADISH BOSE
ROAD, CALCUTTA-20.

The dates shown in the crescent brackets are the dates
claimed under section 135, under Patent Act. 1970.

15-06-1998

1053/Cal/98. Sudhir Kumar Mukim, "Pendulum Train".

1054/Cal/98. Peter Sedmihradsky and Suhrid Kumar Roy.
"Production of Aluminium from alumina by
thermic reduction route" (SR process).

1055/Cal/98. Eurotechnica Contractors and Engineers SPA,
"Process and apparatus for melamine manufac-
ture". (Convention No. MI97A001524 on
27-6-97 in Italy).

1056/Cal/98. General Electric Company. "Combined pream-
ble detection and information transmission
method for burst-type digital communication
systems". (Convention No. 60/051234 on
20-6-97 & 09/075826 on 12-5-98 in U.S.A.)

1057/Cal/98. Eli Lilly and Company, "Process for preparing
4-substituted -1H-indole-3- Glaxamides". (Con-
vention No. 60/050,877 & 60/050,891 on
26-6-97 in U.S.A.).

1058/Cal/98. Siemens Aktiengesellschaft, "Steel arrangement
for a passage of a shaft through a casing".
(Divided out of No. 305/Cal/94; dated 27-4-94).

1059/Cal/98. T & N Technology Limited, "Manufacture of
plain bearings". (Convention No. 9713079.3 on
21-6-97 in United Kingdom).

1060/Cal/98. The Babcock & Wilcox Company, "Erosion
protection at line discontinuity for enclosure and
internal walls in fluidized bed combustors and
reactors". (Convention No. 08/870 371 on
16-6-97 in U.S.A.).

1061/Cal/98. Nelson P. Johnson, "Apparatus for combined
radio-frequency signals". (Convention No.
08/871222 on 20-6-97 in U.S.A.).

16-06-1998

1062/Cal/98. Atanu Bhattacharyya, "An improved light
microscope for larger magnification".

1063/Cal/98. Sri Amitabha Roy, "A device for the process for producing Non-Stop regenerating domestic artificial Bio Electric power plant".

1064/Cal/98. (1) Krishna Kamal Mallik. (2) Steel Authority of India Limited, "A VHF communication-based automatic control system for interlocking the positions of pusher guide and quench cars with respect to oven doors of a coke oven plant".

1065/Cal/98. Navin Prakash Malhotra, "Improved razor blade assembly". (Addition No. 1337/Cal/97 antedated to 16-7-97).

1066/Cal/98. Intel Corporation, "An efficient table-lookup based visually-lossless image compression system". (Convention No. 08/884,923 on 30-06-97 in U.S.A.).

1067/Cal/98. Jonnie R. Williams, "Method of treating tobacco to reduce nitrosamine content, and produced thereby". (Convention No. 08/879,905 on 20-6-97 & 08/998,043 on 23-12-97 in U.S.A.).

1068/Cal/98. General Electric Company, "On-Line rheometer device". (Convention No. 08/920,944 on 29-8-97 in U.S.A.).

1069/Cal/98. General Electric Company, "Improved process for the preparation of phosphites". (Convention No. 08/920,961 on 29-8-97 in U.S.A.).

1070/Cal/98. Merck Patent Gesellschaft Mit Beschränkter Haftung, "3-Benzpiperidines" (Convention No. 19725664.3 on 18-6-97 in Germany).

1071/Cal/98. Nova Chemicals (International) S.A., "Supported phosphinimine-CP catalysts". (Convention No. 2,210,131 on 9-7-97 in Canada).

17-06-1998

1072/Cal/98. Monfortedue S.R.L., "Tape-Shaped device consisting of a plurality of elements hinged to each other and method for hinging to each other said elements". (Convention No. M197A001432 on 18-6-97 in Italy).

1073/Cal/98. American Cyanamid Company, "Intermediate compounds for the preparation of pesticidal fluoroolefin compounds". (Convention No. 60/050,166 on 19-6-97 in U.S.A.).

1074/Cal/98. Felzer & Guillaume Austria AG., "A tripping device for an overcurrent interrupting device". (Convention No. A1075/97 on 20-6-97 in Austria).

1075/Cal/98. American Cyanamid Company, "Process and intermediate compounds for the preparation of pesticidal fluoroolefin compounds". (Convention No. 60/050,166 on 19-6-97 in U.S.A.).

1076/Cal/98. Conoco Inc., "Delayed coking cycle time reduction". (Convention No. 08/879,573 on 20-6-97 in U.S.A.).

1077/Cal/98. Conoco Inc., "Reduction of metal stresses in delayed coking drums". (Convention No. 08/925,229 on 8-9-97 in U.S.A.).

1078/Cal/98. General Electric Company, "Flex slotted aloha transmission system and method". (Convention No. 60/051,205 on 30-6-97 & 09/088,897 on 2-6-98 in U.S.A.).

1079/Cal/98. Libbey-Owens-Ford Co., "Anti-Reflective films". (Convention No. 60/051,799 on 7-7-97 in U.S.A.).

1080/Cal/98. Siemens Aktiengesellschaft, "Waste-Heat Steam Generator". (Convention No. 19727721.7 on 30-6-97 in Germany).

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

स्वीकृत सम्पूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि सम्बन्धित आवेदनों में से किसी पर पेटेंट अनुदान के विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से चार (4) महीने या अधिक ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत निहित प्रपत्र 14 पर अपेक्षित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकत्र के उपयुक्त कार्यालय में ऐसे विरोध की सूचना विहित प्रपत्र 15 पर दे सकते हैं। विरोध संबंधी लिखित दस्तावेज, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथा विहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

"प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अन्तर-राष्ट्रीय वर्गीकरण के अनुरूप हैं।"

रूपांकन (चित्र आरेखों) की फोटो प्रतियां यदि कोई हों, के साथ विनिर्देशों की अंकित अथवा फोटो प्रतियां की आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपयुक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र व्यवहार द्वारा सज्जित करने के उपरान्त उसकी अदायगी पर की जा सकती है। विनिर्देश की पृष्ठ संख्या के साथ प्रत्येक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरेख कारगजों को जोड़कर उसे 2 से गणा करके, (प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है) फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

Cl. : 31 D

181651

Int. Cl. : B 22 D 39/00

A VALVE ASSEMBLY FOR VENTING DIECASTING MOULDS

Applicant : FONDAREX, P. HODLER & CIE. S.A., OF ZONE INDUSTRIELLE LA ROTTE ROUTE DE LA COMBE, 1816 CHAILLY SUR MONTREUX/SWITZERLAND.

Inventor : JOHANN WYSER.

Application No. 104/Ca/1994 filed on 18th February, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office, Calcutta.

17 Claims


A valve assembly (1) for venting die-casting moulds, comprising a venting channel (10), a venting valve (12) communicating with said venting channel and having an axially displaceable valve closure member (14), and an actuating means mechanically coupled to said closure member for moving the closure member from an open position to a closed position for allowing communication or closing communication between said venting channel and the casting chamber of the mould, wherein said actuating means comprise a power pick-up means exposed to the liquid casting material escaping from the casting chamber through said venting channel, said power pick-up means being displaceable by the kinetic energy transmitted by the casting material when the liquid casting material hits the power pick-up means mechanically coupled to said valve closure member.

Characterized in that :

said power pick-up means comprises an axially displaceable push member (20) having a stroke whose length is less than the stroke of said valve closure member during its motion from the open position to the closed position;

said valve closure member is movable freely along a path to its closed position; and

said push member (20) is mechanically coupled to a power transmission member (24) for transmitting impact force of the liquid casting material through the power transmission member (24) to said valve closure member;



(Compl. Specn. 26 pages;

Drgns. 6 sheets.)

Cl. : 67 C

181652

Int. Cl. : G 05 B 6/02.

CLOSED-LOOP CONTROL SYSTEM FOR THE TRANSMISSION OF DIRECT CURRENT.

Applicant : SIEMENS AKTIENGESellschaft, OF WITTELSBACHERPLATZ 2, 80333 MUENCHEN, GERMANY.

Inventor : FRANZ KARLECICK-MAIER.

Application No. 166/Ca/1994 filed on 16th March, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office, Calcutta.

6 Claims

A closed loop control system for the transmission of direct current between alternating current systems, comprising :

a plurality of static converters, each of which couples an alternating current system to a direct current line;

a plurality of closed-loop control devices, each of which determines a control angle from a plurality of part-deviations;

said plurality of part-deviations determined from a predetermined common operating point and an actual operating point of an associated one of said plurality of converters;

said common operating point being derived from the power to be transmitted and comprising a vector in multi-dimensional space;

a plurality of control devices, each of which couples an associated one of said plurality of closed-loop control devices to an associated one of said plurality of converters;

each of said plurality of control devices controlling the associated one of said plurality of converters in response to the control angle determined by the associated one of said plurality of closed-loop control devices such that said plurality of part deviations are simultaneously controlled to zero.




FIG 1

(Compl. Specn. 16 pages;

Drgns. 4 sheets)

Cl. : 53 E

181653

Int. Cl. : B 62 M 1/00, 1/20, 9/04, 9/10,
9/12, 11/00, 11/04, 11/12, 11/10.

MULTI-STAGE SPROCKET ASSEMBLY FOR A BICYCLE.

Applicant : INDUSTRIAL TECHNOLOGY RESEARCH INSTITUTE, OF NO. 195 SEC. 4, CHUNG HSING RD CHUTUNG TOWN, HSINCHU HSIEN TAIWAN, REPUBLIC OF CHINA.

Inventors :

1. CHAN-HUA FENG
2. CHING-HUAN TSENG
3. CHWAN-CHERNG WANG
4. CHUNG-BIAU TSAY
5. CHANG-DAU YAN.

Application No 238/Cal/1994 filed on 6th April, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office, Calcutta.

2 Claims

Multi-stage sprocket assembly for a bicycle comprising :

atleast one large sprocket wheel (2) and atleast one smaller sprocket wheel (3), each said sprocket wheel having a plurality of teeth on its outer periphery and the large sprocket wheel having a larger number of teeth than the smaller sprocket-wheel, each of said sprocket wheels being engageable with a chain (1) guided by a derailleur and comprising a plurality of rollers connected in series by link plates, adjacent rollers comprising an engaging roller (12) which with the link plates fully engages a tooth of the larger sprocket wheel, a pivot roller (10) on one side of the engaging roller, said pivot roller with the link plates contacting the side surface of the larger sprocket wheel during shifting of the chain, and an escape roller (14) on the other side of the engaging roller (12);

Characterized in that :

atleast two consecutive teeth of the smaller sprocket wheel (3) are each provided with a portion of its side surfaces trimmed and engageable by the escape roller (14); at least three consecutive teeth of the large sprocket wheel (2) are each provided with a portion of its side surfaces trimmed and engageable by the pivot roller (10); and the trimmed portions are in accordance with a relative phase angle between the two sprocket wheels, to thereby avoid interference between the link plates and the larger sprocket wheel during shifting from the smaller sprocket wheel (3) to the large sprocket wheel (2).




Fig. 1




FIG. 2

(Compl. Specn. 17 pages;

Drgns. 5 sheets.)

Cl. : 63 I
127A

181654

Int. Cl. : F 16 D 23/12.

A DOUBLE ACTING SYNCHRONIZER CLUTCH ASSEMBLY.

Applicant : EATON CORPORATION, OF 1111 SUPERIOR AVENUE, CLEVELAND, OHIO 44114, UNITED STATES OF AMERICA.

Inventors :

1. ERNST HEINZ LAUER.
2. JAMES LYNN MARTIN.

Application No 360/Cal/1994 filed on 13th May, 1994.



Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office, Calcutta.

9 Claims

A double acting synchronizer clutch assembly 10 including two axially moveable friction rings 36, 38 rigidly connected together about a rotational axis (12A) in axially spaced relation on opposite sides of an axially movable, radially extending flange; a plurality of circumferentially spaced apart openings extending axially through the flange; a split pin assembly 42 including a pair of members and a spring assembly extending axially through each openings and between the friction rings for effecting axial movement of the friction rings in response to initial axial movement of the flange from a neutral position, each pair of members defining a generally cylindrical outer surface with a radially outwardly open annular detent groove for receiving a peripheral surface of one of the openings, the members of each pair of members each having first and second ends respectively disposed to about one of the friction rings; each spring assembly including at least first and second opposed leaf springs each having a bowed length in the axial direction of the opening and a width corresponding to a transverse direction, the leaf springs sandwiched between mutually facing surfaces of each pair of members, the leaf springs each having first and second leaf end portions with the first and second end portions of the first and second leaf springs respectively in contact with each other and with the second and first end portions of the first and second leaf springs respectively in contact with each other and with each first and portions axially overlapping the associated second end portion, characterized by :

retainer means disposed at the leaf spring first and second end portions of each spring assembly, each retainer means

allowing the leaf spring ends in contact with each other to move axially relative to each other and for including means reacting roll forces tending to roll the springs relative to each other.



(Compl. Specns. : 14 pages;

Drgns. : 3 Sheets)

Cl. : 68 E 3

181655

Int. Cl. : H 05 B 41/24.

CIRCUIT ARRANGEMENT FOR OPERATING A LOW-PRESSURE DISCHARGE LAMP FROM A LOW-VOLTAGE SOURCE.

Applicant : PATENT-TREUHAND-GESELLSCHAFT FÜR ELEKTRISCHE GLÜHLAMPEN MBH, OF HEL-LABRUNNER STR. 1, 81543 MUENCHEN, GERMANY.


Inventor : WALTER HIRSCHMANN.

Application No. : 403/Cul/1994 filed on 30th May, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

7 Claims

Circuit arrangement for operating a low-pressure discharge lamp from a low-voltage source, the circuit arrangement being designed as a single-ended flyback converter having a transistor (T) and a transformer, the primary winding (N1) of the transformer being connected in series with the switching junction of the transistor (T), and the transformer having a secondary winding (N2) for the starting voltage or the operating voltage of the lamp (L), and a feedback winding (N3) for driving the control electrode of the transistor (T), characterized in that a terminal of the secondary winding (N2) of the transformer is connected to a first lamp electrode (E1) via a first diode (D1), the other terminal of the secondary winding (N2) being connected to the primary winding (N1) and via a second diode (D2) to the second heatable lamp electrode (E2).



(Compl. Specns : 14 pages;

Drgns. : 2 Sheets)

Cl. : 194 C

181656

Int. Cl. : F 21 K 2/06.

A XENON EXCIMER RADIATION SOURCE FOR PRODUCING ULTRAVIOLET (VUV) RADIATION IN COMBINATION WITH FLUORESCENT SUBSTANCES FOR ILLUMINATION PURPOSES.

Applicant : PATENT-TREUHAND-GESELLSCHAFT FÜR ELEKTRISCHE GLÜHLAMPEN MBH, OF HEL-LABRUNNER STR. 1, 81543 MUENCHEN, GERMANY.

Inventors :

- (1) DR. MARTIN ZACHAU,
- (2) DIETER SCHMIDT,
- (3) ULRICH MÜLLER.

Application No. : 466/Cul/1994 filed on 20th June, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

21 Claims

A xenon excimer radiation source for producing ultraviolet (VUV) radiation in combination with fluorescent substances for illumination purposes, said fluorescent substances comprising a host lattice and at least one dopant, characterised in that the dopant includes at least one activator, and in that activator(s) and host lattice are appropriately selected and are coordinated with one another so that the fluorescent substance is efficiently excited by the VUV radiation generated by said xenon excimer radiation source, especially of wavelengths in the range between approximately 145nm and 185nm, and in this case luminesces in the visible range of the optical spectrum.

(Compl. Specn. : 17 pages;

Drgns. : 5 Sheets)

Cl. : 32 F1+55 D1+55 E1

181657

Int. Cl.: C 07 B 39/00
C 07 C 121/52.

PROCESS FOR PREPARING FLUOROBENZONITRILES.


Applicant : HOECHST AKTIENGESellschaft, OF
65926 FRANKFURT AM MAIN FEDERAL REPUBLIC
OF GERMANY.

Inventors :

- (1) THOMAS SCHACH,
- (2) THEODAR PAPENFUHS,
- (3) RALF PFIRMANN.

Application No. : 494/Cal/1994 filed on 27th June,
1994.Appropriate Office for Opposition Proceedings (Rule 4,
Patents Rules, 1972), Patent Office, Calcutta.

10 Claims

A process for preparing fluorobenzonitriles by
reaction of a compound of the formula (4)


in which

a is an integer from 1 to 5 and

b is a number from 0 to 3,

with an alkali metal fluoride in the presence of a catalyst used in amounts from 1 to 35% by weight based on the compound of formula (4) wherein the said catalyst is selected from component a, mixture of components a and b, mixture of components a and c and mixture of components a, b and c wherein

(a) one or more quaternary ammonium compound(s) of the formula (1)




in which

R^1 , R^2 and R^3 are identical or different and are a linear or branched alkoxypolyoxyalkyl radical of the formula $-(C_mH_{2m}O)_p$ R^4 is hydrogen or linear or branched alkyl radical having from 1 to 16

carbon atoms, m is an integer from 1 to 10 and p is a number from 1 to 15; or a linear or branched alkyl radical having from 1 to 30 carbon atoms; or an unsubstituted phenyl or naphthyl radical; or a substituted phenyl or naphthyl radical, with the substituents being halogen, C_1-C_4 -alkyl, C_1-C_4 -alkoxy, nitro or cyano;

R^4 is a linear or branched alkoxypolyoxyalkyl radical of the formula $-(C_mH_{2m}O)_p$ as mentioned herein before; a(-) is an inorganic anion;

(b) one or more quaternary ammonium salts(s) or phosphonium salt(s) of the formula (2)




in which

R^6 , R^7 , R^8 and R^9 are identical or different and are a linear or branched alkyl radical having from 1 to 22 carbon atoms; or an unsubstituted or substituted aryl radical or a C_1-C_4 alkylaryl radical, with aryl being phenyl or naphthyl and said substituents being halogen, C_1-C_4 -alkyl, C_1-C_4 -alkoxy, nitro or cyano; and

Y is N or P;

(c) one or more polyester (s) of the formula (3) or a crown ether



in which

R^{10} and R^{11} are identical or different and are hydrogen or a linear or branched alkyl radical having from 1 to 16 carbon atoms,

x is an integer from 2 to 6 and

n is a number from 0 to 20;

(Compl. Spec.)

18 pages)

Cl. : 131 A-1

181653

Int. Cl. : E 21 B 7/00, 15/00, 19/00
E 21 C 9/00.

APPARATUS ON A VESSEL FOR NEAR VERTICAL LAYING OF PIPELINE OFFSHORE.

Applicant : MCDERMOTT INTERNATIONAL INC., OF 1450 POYDRAS STREET, P.O. BOX 60035 NEW ORLEANS, LA 70160 UNITED STATES OF AMERICA.

Inventor : JESSE RAY WILKINS.

Application No. : 551 Cal/1994 filed on 13th July, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

5 Claims


An apparatus (10) on a vessel (22) for near vertical laying of a pipeline offshore, having a support base (12) mounted on the vessel, characterized in that a framework (14) is mounted on said support base to extend upwardly therefrom :

a pipe joint alignment tower (16) is pivotally attached to and supported by said support base and said framework ;

a support tower (18) is pivotally attached to said support base and extends downwardly from said support base ;

a travel block (26) is movable along the length of the support tower ; and

a pedestal (28) is provided at the lower end of said support tower for releasably receiving and supporting the weight of the pipe line.



(Compl. Specns. : 15 pages;

Drgus. : 4 Sheets)

Cl. : 85 K
28 EC

181659

Int. Cl. : F 23 C 11/02.

A CIRCULATING FLUIDIZED BED COMBUSTION APPARATUS.

Applicant : COMBUSTION ENGINEERING INC., OF 1000 PROSPECT HILL ROAD, WINDSOR, CONNECTICUT 06095, UNITED STATES OF AMERICA.


Inventor : RICHARD STEVEN SKOWYRA.

Application No. 717/Cal/1994 filed on 8th September, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

5 Claims

A circulating fluidized bed combustion apparatus comprising a combustor (12) having four water-cooled walls (14), means (18, 20) for introducing fuel and sorbent into the lower portion of said combustor, means (21) for introducing fluidizing combustion air into the bottom (22) of said combustor and flue gas outlet means (38) in the top of said combustor, wherein the improvement comprises at least one particle collecting cell (26) located inside of said combustor along one of said four combustor walls below said flue gas outlet means (38), said particle collecting cell having water-cooled water walls, (14, 28) defining said cell, a particle outlet opening (42A) in the bottom of said cell of returning separated particles to said lower portion of said combustor, heat exchange means (40) located in said cell for extracting heat from said collected particles and means (42) for controlling the rate of flow of particles through said outlet opening.



(Compl. Specn. 7 Pages;

Drgns. 3 Sheets)

Cl. : 201 D

181660

Int. Cl. : C 02 F 1/50,
1/66, 1/76.

A BOTTLED WATER DISINFECTING AND DISTENSING SYSTEM.

Applicant : CARL MARIO SUTERA, OF 45 WASHINGTON STREET UNIT K-42 METHUEN MA 01841 UNITED STATES OF AMERICA.

Inventor : CARL MARIO SUTERA.

Application No 767/Cal/1994 filed on 22nd September, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office, Calcutta.

7 Claims


A bottled water disinfecting and dispensing system (12) for use with a bottled water cooler (10), having a water tank (22) with an open upper section (32), said system comprising:

a water bottle (14) having an upper end and a lower end; said lower end having an open neck (36) mountable to said upper section of the water tank (22);

an elastomeric seal (300) enclosing portions of inner and outer walls of the neck (36) via inner and outer seal areas said outer seal area being in communication with the inner wall of a portion of the upper section of the water tank (20);

a neck filter (420) provided within said neck of the water bottle and comprising a housing fluid-impermeably fixed to the inner walls of the neck;

a water inlet system (16) connected to said water bottle (14) and comprising a filtration/bactericide unit (407) having a sediment filter (408) for filtering sediments in the water; said neck filter having a filter media for removing the bactericide from the water as it passes from the bottle to said water tank.



(Compl. Specn. 37 pages;

Drgns. 11 sheets.)

AMENDMENT PROCEEDING UNDER SECTION 57

Notice is hereby given that M/s. Raptakos Brett, Co., Dr. Annie Besant Road, Worli, Mumbai-400025 has made application under section 57 of the Patents Act, 1970 for amendment of address of the inventor in respect of Patent Application No. 179810 (323/Bom/96) for "A process of preparing anti aids ayurvedic medicine/composition". The application for amendments and proposed amendment can be inspected free of charge at the Patent Office Branch, Todi Estate, 3rd Floor Sun Mill Compound, Lower Parel (West), Mumbai-400013 on any working day during the usual office hours or

copies of the same can be had on payment of usual copying charges. Any person interested in opposing the application for amendment may file the notice of opposition on the prescribed form-30 alongwith full written statement within three months from the date of this notification to the Patent Office Branch, Mumbai.

If full written statement of opposition, is not filed with the notice of opposition it should be left within one month from the date of filing the said notice of opposition.

CESSATION OF PATENTS

177817

PATENT SEALED ON 17-07 98

177922*F 177925*F 177973 179241 179433 179471 179477*
179478 179479 179484* 179485 179486* 179487 179488*
179489* 179490 179493*D 179494*D 179495*D 179496*D
179500*D 179501 179503* 179505 179507 179508 179510*F
179511 179512 179513 179515*F 179516* 179519 179520*
179521* 179522 179523* 179525 179526 179527 179528*
179529*D 179530*D

CAL-01, DEL-09, MUM-22, CHEN-11.

*Patent shall be deemed to be endorsed with words LICENCE OF RIGHT Under Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of sealing.

D—Drug Patents.

F—Food Patents.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The date shown in the each entries is the date of the registration included in the entries.

Class 1. No. 174190, British Scaffolding India Ltd., Manisha, 4th floor, 75-76 Nehru Place, New Delhi-110 India, an Indian Company, "HORIZONTAL CUPLOK", 30th January 1997.

Class 1. No. 174191, British Scaffolding India Ltd., Manisha, 4th floor, 75-76 Nehru Place, New Delhi-110 019, India, an Indian Company, "VERTICAL CUPLOK", 30th January 1997.

Class 1. No. 174172, Dr. Ramesh Kumar Mehta, Manager, Foundation for Innovation and Technology Transfer (FITT), Indian Institute of Technology (IIT), Hauz Khas, New Delhi-110 016, India, an Indian national, "IMPLANT TRANSPORTATION DEVICE", 27th June 1997.

Class 1. No. 174173, Dr. Ramesh Kumar Mehta, Manager, Foundation for Innovation and Technology Transfer (FITT), Indian Institute of Technology (IIT), Hauz Khas, New Delhi-110 016, India, an Indian national, "IMPLANT TRANSPORTATION DEVICE", 27th June 1997.

Class 1. No. 174174, Dr. Ramesh Kumar Mehta, Manager, Foundation for Innovation and Technology Transfer (FITT), Indian Institute of Technology (IIT), Hauz Khas, New Delhi-110 016, India, an Indian national, "IMPLANT TRANSPORTATION DEVICE", 27th June 1997.

Class 1. No. 174175, Dr. Ramesh Kumar Mehta, Manager, Foundation for Innovation and Technology Transfer (FITT), Indian Institute of Technology (IIT), Hauz Khas, New Delhi-110 016, India, an Indian national, "IMPLANT TRANSPORTATION DEVICE", 27th June 1997.

Class 1. No. 174153, Eagle Flask Industries Limited, a company incorporated under the Indian Companies Act, 1956 having office at Eagle Estate, Talegaon-410507, Dist. Pune, Maharashtra, India, "CONTAINER", 25th June 1997.

Class 1. 174156, Eagle Flask Industries Limited, a company incorporated under the Indian Companies Act, 1956 having office at Eagle Estate, Talegaon-410507, Dist. Pune, Maharashtra, India, "FOOD WARMING TRAY WITH CONTAINER", 25th June 1997.

Class 1. No. 174157, Eagle Flask Industries Limited, a company incorporated under the Indian Companies Act, 1956 having office at Eagle Estate, Talegaon-410507, Dist. Pune, Maharashtra, India, "FOOD WARMING TRAY", 25th June 1997.

Copyright Extended for the 2nd Period of Five Years.

Number :---

165061, 165062, 165026, 170185, 157832, 170842, 167572, 165336, 169378, 165256, 170248, 170082, 168081, 172799, 171981, 166532, 172169, 172163, 172164, 168165, 168171, 168172, 169173, 169350, 168422, 168843, 168801, 168802,

169079, 172475, 173984, 173985, 173986, 173987, 173988, 173989, 173990, 173991, 170633, 170447, 170249, 169882, 172662, 170622, 169136, 164525, 158972, 158973, 172661, 169845, 172514, 164430, 169575, 171978, 172885, 172436, 166531, 166014, 171820, 172162, 172201, 168259, 166874, 170278, 176907, 170850, 170058, 171835, 165208, 166444, 166019, 166018, 166016, 166017, 165221, 173193, 165911, 165090, 165910, 166445, 166457, 166012, 173978, 173982, 166643, 166638, 166639, 166640, 166641, 166642, 170818, 170815, 172358, 172359, 172360, 173979, 167909, 168584, 165602, 165565, 165114, 164744, 174300.

Copyright Extended for the 3rd Period of Five Years.

Number :---

164652, 170607, 156028, 156029, 156027, 157273, 157304, 164201, 155111, 157409, 173329, 173330, 173331, 173332, 173326, 173333, 173359, 173327, 169550, 166312, 173227, 172696, 172699, 173500, 173499, 173498, 173496, 173497, 168258, 164064.

H. D. THAKUR

Controller Genl. of Patent, Design & Trade Marks